

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6173334".pn. and (((check\$ or determin\$) near3 address) with (list or table))	USPAT	OR	OFF	2004/10/14 15:19
L2	1	"5856974".pn. and (((conversion\$ or map\$) near3 address) with (list or table))	USPAT	OR	OFF	2004/10/14 15:07
L3	1	"5856974".pn. and (((check\$ or determin\$) near3 address) with (conversion\$ or translat\$ or map\$))	USPAT	OR	OFF	2004/10/14 15:03
L4	0	"5856974".pn. and (((check\$ or determin\$) near3 (flag or bit or value or attribute)) with (conversion\$ or translat\$ or map\$))	USPAT	OR	OFF	2004/10/14 15:04
L5	0	"5856974".pn. and (((check\$ or determin\$ or identifi\$5) with (flag or bit or value or attribute)) with (conversion\$ or translat\$ or map\$))	USPAT	OR	OFF	2004/10/14 15:05
L6	1	"5856974".pn. and (IP)	USPAT	OR	OFF	2004/10/14 15:05
L7	0	"5856974".pn. and (IP near3 address)	USPAT	OR	OFF	2004/10/14 15:06
L8	0	"5799016".pn. and (((conversion\$ or map\$) near3 address) with (list or table))	USPAT	OR	OFF	2004/10/14 15:07
L9	1	"6173334".pn. and (((check\$ or determin\$ or contain\$) near3 address) with (list or table))	USPAT	OR	OFF	2004/10/14 15:08
L10	1	"6173334".pn. and (list\$ or table\$ or contain\$ or maintain\$ or provid\$ or stor\$)	USPAT	OR	OFF	2004/10/14 15:36
L11	59	((((list\$ or table\$) near3 address) near5 conversion\$) with (proxy or gateway or server or intermediat\$ or communication\$))	USPAT	OR	OFF	2004/10/14 15:39
L12	58	l11 and @ad<"20010618"	USPAT	OR	OFF	2004/10/14 15:38
L13	38	((((list\$ or table\$) near3 conversion\$) near5 address\$) near5 (proxy or gateway or server or intermediat\$ or communication\$))	USPAT	OR	OFF	2004/10/14 15:40
S1	34170	(mask\$3 or map\$4 or translat\$3 or convert\$3) near3 address	US-PGPUB; USPAT	OR	OFF	2004/10/01 10:10
S2	2633	S1 with (proxy or gateway or server or intermediat\$2)	US-PGPUB; USPAT	OR	OFF	2004/10/01 10:10
S3	1695	S2 and (@ad<"20010618" @rlad<"20010618")	US-PGPUB; USPAT	OR	OFF	2004/10/01 10:12
S4	1170	S3 and (sender or check\$3 or IP) near address	US-PGPUB; USPAT	OR	OFF	2004/10/01 10:14

S5	694	S4 and ((receiv\$3 or destinat\$3) near address)	US-PGPUB; USPAT	OR	OFF	2004/10/01 10:15
S6	6	S5 and (((mask\$3 or map\$4 or translat\$3 or convert\$3) near address) with (store\$ near3 (device or system)))	US-PGPUB; USPAT	OR	OFF	2004/10/12 11:03
S7	0	"09746504"	US-PGPUB; USPAT	OR	OFF	2004/10/12 11:03
S8	1	"6788933".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/12 11:16
S9	1	"6671818" .pn.	US-PGPUB; USPAT	OR	OFF	2004/10/12 11:48
S10	195343	internal same external	USPAT	OR	OFF	2004/10/12 11:51
S11	2687	(internal same external) with user	USPAT	OR	OFF	2004/10/12 12:18
S12	3	S11 and (own\$2 near entity)	USPAT	OR	OFF	2004/10/12 12:06
S13	3	S12 and database	USPAT	OR	OFF	2004/10/12 11:53
S14	25422	(network or track\$3 or project\$1) same database	USPAT	OR	OFF	2004/10/12 11:59
S15	29297	S11 adn S14	USPAT	OR	OFF	2004/10/12 11:59
S16	394	S11 and S14	USPAT	OR	OFF	2004/10/12 11:59
S17	126	S16 and (@ad<"20010615" and @rlad<"20010615")	USPAT	OR	OFF	2004/10/12 12:06
S18	23	S11 and (own\$2 near database)	USPAT	OR	OFF	2004/10/12 12:06
S19	6	S18 and (@ad<"20010615" and @rlad<"20010615")	USPAT	OR	OFF	2004/10/12 12:18
S20	2786	(internal same external) with (user or entity)	USPAT	OR	OFF	2004/10/12 12:18
S21	65	S20 and (own\$2 with database)	USPAT	OR	OFF	2004/10/12 12:18
S22	17	S21 and (@ad<"20010615" and @rlad<"20010615")	USPAT	OR	OFF	2004/10/12 14:25
S23	1	(sender with address) same (intend\$2 near5 convert\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:26
S24	15	(sender with address) same ((intend\$2 or request or note) near5 convert\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:44
S25	1	"6704295".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:44
S26	1	S25 and (IP near address)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:46
S27	1	S25 and (convert\$3 with (IP near address))	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:48
S28	1	S25 and (mask\$3 or map\$4 or translat\$3 or convert\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:51
S29	0	S25 and ((determin\$3 or set) with rout\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:52

S30	1	S25 and (rout\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:55
S31	0	S25 and (sender near address) same ((identif\$3 with data) near process\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:57
S32	0	"6594227".pn. and (sender near address) same ((identif\$3 with data) near process\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:57
S33	1	"6594227".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/12 14:57
S34	0	S33 and (sender near address) same ((identif\$3 with data) near process\$3)	US-PGPUB; USPAT	OR	OFF	2004/10/13 09:10
S79	252127	(signal or flag or identifi\$4 or parameter or indicat\$3) near5 (conver\$ or translat\$)	USPAT	OR	OFF	2004/10/13 11:38
S80	0	S79 same (((subnet or LAN) near3 convert\$) with (global or IP)) with address)	USPAT	OR	OFF	2004/10/13 11:39
S81	0	S79 same (((subnet or LAN) near3 convert\$) with (global or IP))	USPAT	OR	OFF	2004/10/13 11:40
S82	9	S79 and (((subnet or LAN) near3 convert\$) with (global or IP))	USPAT	OR	OFF	2004/10/13 12:01
S83	14921	check\$3 near5 (translat\$4 or conversion\$1 or flag)	USPAT	OR	OFF	2004/10/13 12:05
S84	19188	S83 adn 709/24\$.cccls.	USPAT	OR	OFF	2004/10/13 12:03
S85	129	S83 and 709/24\$.cccls.	USPAT	OR	OFF	2004/10/13 12:06
S86	126	S85 and @ad<"20010618"	USPAT	OR	OFF	2004/10/13 12:19
S87	205	check\$3 near5 ((translat\$4 or conversion\$1) near5 (signal or flag or identifi\$4))	USPAT	OR	OFF	2004/10/13 12:06
S88	4	S87 and 709/24\$.cccls.	USPAT	OR	OFF	2004/10/13 12:06
S89	1	"6006258".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:21
S90	0	S89 and (vpn or "virtual private network") with (flag or signal or identifi\$4 or conver\$ or translat\$ or subnet or global or IP or network or check\$)	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:24
S91	0	S89 and ((vpn or "virtual private network") with (flag or signal or identifi\$4 or conver\$ or translat\$ or subnet or global or IP or network or check\$))	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:25

S92	1	S89 and (vpn or "virtual private network" or flag or signal or identi\$4 or conver\$ or translat\$ or subnet or global or IP or network or check\$)	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:27
S93	1	"6173334".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:27
S94	1	S93 and (vpn or "virtual private network" or flag or signal or identi\$4 or conver\$ or translat\$ or subnet or global or IP or network or check\$)	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:36
S95	0	"09776861".an.	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:36
S96	0	2001/0013070.an.	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:36
S97	1	09/776861	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:36
S98	1	S97 and (vpn or "virtual private network" or flag or signal or identi\$4 or conver\$ or translat\$ or subnet or global or IP or network or check\$)	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:44
S99	1	S97 and (check\$ with conver\$)	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:46
S100	1	"6611873".pn.	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:46
S101	1	S99 and (check\$ with conver\$)	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:47
S102	1	S100 and (check\$ with conver\$)	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:50
S103	28	check\$ with conver\$ with flag with address	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:58
S104	26	S103 and (@ad<"20010618" @rlad<"20010618")	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:57
S105	2	check\$ with conver\$ with flag with address with network	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:56
S106	306	(check\$ with conver\$) same((flag or signal) with (address or network))	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:57
S107	269	S106 and (@ad<"20010618" @rlad<"20010618")	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:10
S108	1	S107 and (vpn or "virtual private network")	US-PGPUB; USPAT	OR	OFF	2004/10/13 13:58
S109	3	(check\$ with conver\$ with flag) near5 address	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:09
S110	26	check\$ with (((flag or signal\$ or identi\$4) near3 conver\$) near5 address)	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:10

S11 1	12	S110 and (@ad<"20010618" @rlad<"20010618")	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:42
S11 2	0	S94 and ((map\$4 or mask\$3 or translat\$3 or conver\$3) with (proxy or gateway or server))	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:24
S11 3	1	S92 and ((map\$4 or mask\$3 or translat\$3 or conver\$3) with (proxy or gateway or server))	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:21
S11 4	1	S94 and (map\$4 or mask\$3 or translat\$3 or conver\$3 or stor\$3 or table)	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:37
S11 5	39	(check\$ with flag) near3 conver\$	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:39
S11 6	1	S115 with (address or IP or network)	US-PGPUB; USPAT	OR	OFF	2004/10/13 14:41
S11 7	513	(check\$ with (flag or header)) with conver\$	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:10
S11 8	71	S117 with (address or IP or network)	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:11
S11 9	55	S118 and (@ad<"20010618" @rlad<"20010618")	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:19
S12 0	235	(check\$ near5 flag) with conver\$	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:10
S12 1	21	S120 with (address or IP or network)	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:11
S12 2	21	S121 and (@ad<"20010618" @rlad<"20010618")	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:17
S12 3	1398	check\$ with ((flag or identifi\$4 or signal) near5 (conver\$ or translat\$))	USPAT	OR	OFF	2004/10/13 15:19
S12 4	135	check\$ with ((flag) near5 (conver\$ or translat\$))	USPAT	OR	OFF	2004/10/13 15:30
S12 5	135	S124 and (@ad<"20010618" @rlad<"20010618")	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:20
S12 6	3	S125 and 709/24\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/10/13 15:20
S12 7	312	check\$ with flag with (conver\$ or translat\$)	USPAT	OR	OFF	2004/10/13 15:30
S12 8	135	check\$ with flag near5 (conver\$ or translat\$)	USPAT	OR	OFF	2004/10/13 15:39
S12 9	0	S128 and "709".ccls.	USPAT	OR	OFF	2004/10/13 15:35
S13 0	9	S128 and "709"/\$.ccls.	USPAT	OR	OFF	2004/10/13 15:35
S13 1	8	S128 with (address or network)	USPAT	OR	OFF	2004/10/13 15:43

S13 2	2937	check\$3 near5 (conversion\$1 or translat\$3)	USPAT	OR	OFF	2004/10/13 15:55
S13 3	54	S132 with (flag)	USPAT	OR	OFF	2004/10/13 15:45
S13 4	54	S133 and @ad<"20010618"	USPAT	OR	OFF	2004/10/13 15:56
S13 5	27	check\$3 near5 flag near5 conversion\$1	USPAT	OR	OFF	2004/10/13 15:59
S13 6	54	S134 and @ad<"20010618"	USPAT	OR	OFF	2004/10/13 15:56
S13 7	27	S135 and @ad<"20010618"	USPAT	OR	OFF	2004/10/13 16:00
S13 8	12206	check\$3 near5 flag	USPAT	OR	OFF	2004/10/13 16:03
S13 9	559	S138 and "709"/\$.ccls.	USPAT	OR	OFF	2004/10/13 16:00
S14 0	539	S139 and @ad<"20010618"	USPAT	OR	OFF	2004/10/13 16:07
S14 1	529	S140 and (conversion\$1 or translat\$ or address or network)	USPAT	OR	OFF	2004/10/13 16:01
S14 2	3	check\$ near5 (conversion adj flag)	USPAT	OR	OFF	2004/10/13 16:04
S14 3	54	conversion adj flag	USPAT	OR	OFF	2004/10/13 16:06
S14 4	44	check\$ near (flag near5 (conver\$ or translat\$))	USPAT	OR	OFF	2004/10/13 16:06
S14 5	43	S144 and @ad<"20010618"	USPAT	OR	OFF	2004/10/14 08:54
S14 6	3205	check\$ with (flag or identifi\$5) with (address or network)	US-PGPUB; USPAT	OR	ON	2004/10/14 08:57
S14 7	32	S146 with conversion	US-PGPUB; USPAT	OR	ON	2004/10/14 09:54
S14 8	1	"6173334".pn.	USPAT	OR	OFF	2004/10/14 09:57
S14 9	2	"6173334".pn."5636216".pn.	USPAT	OR	OFF	2004/10/14 09:57
S15 0	4	"6173334".pn."5636216".pn. "5799016".pn."5856974".pn.	USPAT	OR	OFF	2004/10/14 09:58
S15 1	4	S150 and (source or destination or address or network or conversion\$ or translat\$ or check\$ or flag or identifi\$5 or map\$)	USPAT	OR	OFF	2004/10/14 10:00
S15 2	4	S150 and (source or destination or address or network or conversion\$ or translat\$ or check\$ or flag or identifi\$5 or map\$ or rout\$)	USPAT	OR	OFF	2004/10/14 10:39

S15 3	1	"5995503".pn.	USPAT	OR	OFF	2004/10/14 10:39
S15 4	1	S153 and (check\$ or determin\$ or flag or conversion\$ or translat\$ or address or IP or network or router or source or destination)	USPAT	OR	OFF	2004/10/14 11:05
S15 5	1	"6101549".pn. and (check\$ or determin\$ or flag or conversion\$ or translat\$ or address or IP or network or router or source or destination)	USPAT	OR	OFF	2004/10/14 10:55
S15 6	1	"6751221".pn. and (check\$ or determin\$ or flag or conversion\$ or translat\$ or address or IP or network or router or source or destination)	USPAT	OR	OFF	2004/10/14 11:00
S15 7	1	"6751221".pn. and (check\$ or determin\$ or flag)	USPAT	OR	OFF	2004/10/14 11:00
S15 8	245	(check\$ or determin\$) near3 (flag or value or signal or identi\$5 or bit) with (conversion\$ or translat\$) near5 (address or IP or network or router or source or destination)	USPAT	OR	OFF	2004/10/14 11:27
S15 9	227	S158 and @ad<"20010618"	USPAT	OR	OFF	2004/10/14 11:08
S16 0	20	S159 and (proxy or server or gateway or NAT)	USPAT	OR	OFF	2004/10/14 11:27
S16 1	2	"6557031".pn. "6205065".pn.	USPAT	OR	OFF	2004/10/14 11:27
S16 2	1298	S161 ((check\$ or determin\$) near3 (flag or value or identi\$5 or bit) near5 (conversion\$ or translat\$))	USPAT	OR	OFF	2004/10/14 11:28
S16 3	2	S161 and ((check\$ or determin\$) near3 (flag or value or identi\$5 or bit) near5 (conversion\$ or translat\$))	USPAT	OR	OFF	2004/10/14 11:29
S16 4	2	S161 and (check\$ or determin\$ or flag or value or identi\$5 or bit or conversion\$ or translat\$)	USPAT	OR	OFF	2004/10/14 13:28
S16 5	1	"5995503".pn. and (check\$ or determin\$ or flag or value or identi\$5 or bit or conversion\$ or translat\$)	USPAT	OR	OFF	2004/10/14 13:37
S16 6	1	"6173334".pn. and (check\$ or determin\$ or flag or value or identi\$5 or bit or conversion\$ or translat\$)	USPAT	OR	OFF	2004/10/14 14:51